

FIG. 1




FIG. 2






FIG. 3



5/17







FIG. 6

7/17




[FLOUR LOT 100,000 BUSHELS]

[GRAIN LOT G 50,000 BUSHELS]

GRAIN LOT D

FIG. 7B

50,000 BUSHELS



FLOUR LOT						
MIX LOT	100,0	000 BUSHELS				
★ GRAIN L	OT D	-50,000 BUSHELS				
* GRAIN LO	OT G	50,000 BUSHELS				
TRACE ING	REDIEN	IT LOTS				
GRAIN L	ATO.	TRACE				
GRAIN L		TRACE				
GRAIN L	OT C	TRACE				
FIG. 8B						




FIG. 9

10/17

FRENCH CLASS	PROTEIN	BAKING STRENGTH	HAGBERG FN	Kg/hl	MST	SPROUTED GRAIN	IMPURITIES	BROKEN KERNELS
			(MIN)	(MIN)	(MAX)	(MAX)	(MAX)	(MAX)
"E" CLASS	>12%	>250	220	. 76	15	2%	2%	2%
CLASS 1	11-12.5%	160-250	220	76	15	2%	2%	2%
CLASS 2	10.5-11.5%	•	180	76	15	2%	2%	2%
CLASS 3(a)	<10.5%	•	•	74	15	2%	2%	2%
CLASS 3(b)	<10.5%		•	<74	15	2%	2%	2%

FIG. 10 (PRIOR ART)


	TEST WEIGHT PER BUSHEL		DAMAGED KERNELS					WHEAT OF OTHE	R CLASSES by
GRADE	MINIMUM HARD RED SPRING WHEAT OR WHITE CLUB WHEAT (POUNDS)	MINIMUM ALL OTHER CLASSES AND SUBCLASSES (POUNDS)	MAXIMUM HEAT- DAMAGE (PART OF TOTAL) (PERCENT)	MAXIMUM HEAT DAMAMGE TOTAL (PERCENT)	MAXIMUM Foreign Material (Percent)		MAXIMUM DEFECTS <u>a</u> / (PERCENT)	MAXIMUM DIFFERENT CLASSES CONTENT (PERCENT)	MAXIMUM TOTAL OF DIFFERENT CLASSES CONTENT (PERCENT)
U.S. NO. 1 U.S. NO. 2 U.S. NO. 3 U.S. NO. 4 U.S. NO. 5	58.0 57.0 55.0 53.0 50.0	60.0 58.0 56.0 54.0 51.0	02 02 0.5 1.0 3.0	2.0 4.0 7.0 10.0 15.0	0.4 0.7 1.3 3.0 5.0	3.0 5.0 8.0 12.0 20.0	3.0 5.0 8.0 12.0 20.0	1.0 2.0 3.0 10.0 10.0	3.0 5.0 10.0 10.0 10.0


U.S. SAMPLE GRADE:

U.S. SAMPLE GRADE IS WHEAT THAT DOES NOT MEET THE REQUIREMENTS FOR THE GRADES U.S. NOS. 1, 2, 3, 4, OR 5; IS CONTAMINATED WITH FOREIGN MATTER ABOVE ACCEPTABLE LIMITS; DAMAGED BY INSECTS ABOVE ACCEPTABLE LIMITS; OR IS OTHERWISE OF LOW QUALITY.

a/ INCLUDES DAMAGED KERNELS (TOTAL), FOREIGN MATERIAL, AND SHRUNKEN AND BROKEN KERNELS.
by unclassified wheat of any grade may contain not more than 10.0 percent of wheat of other classes.

FIG. 11 (PRIOR ART)








FIG. 14






FIG. 15








FIG. 18